


SIEMENS



Weighing and dosing systems

# The new compact class in weighing technology

SIWAREX WT231: The new weighing terminal is a stand-alone package that is comprised of tried-and-tested Siemens components:

Flexible weighing electronics and user-friendly Siemens Touch Panel



[siemens.com/weighing](https://www.siemens.com/weighing)

# The whole package – proven quality for flexible weighing technology

The new SIWAREX WT231 weighing terminal combines the proven quality of two Siemens components into one product: a powerful SIWAREX WP231 weighing module, and a Siemens Touch Panel with an application-specific user interface.

All settings and parameters for applications in the areas of level measurement and platform scales can be made via the Touch Panel.

The intuitive operation enables the user to perform fast parameter assignment and commissioning.

As a stand-alone solution, the SIWAREX WT231 can be used independently of the automation solution, making interaction fast and uncomplicated.

The RS485 Modbus RTU interface enables a direct integration of the terminal in all conventional controller environments.


The control components used in the terminal stand-out on their own as individual products with exceptional quality:

- SIWAREX WP231: The flexible weighing module is the ideal solution for industrial areas with high precision requirements, e.g. food and beverages, pharmaceuticals, chemicals, and many more. The comprehensive diagnostics options, such as checking weight progression or monitoring and reporting limit values, increase process reliability
- Siemens Touch Panel: The 4-inch panel with TFT wide-screen color display offers a high screen resolution and enables use in very tight spaces without compromising functionality.

The modular weighing terminal meets the very high quality demands of various sectors, such as the food and beverages, pharmaceutical, and chemicals industries.

With the SIWAREX WT231, practical use of reliable quality is possible.

The SIWAREX WT231 weighing terminal: High quality components such as the Siemens Touch Panel as display combined with excellent Siemens weighing technology enclosed in high-quality stainless steel



- **Versatile weighing module** – Comprehensive diagnostics functions, monitoring of limits, high resolution of up to +/- four million parts , high accuracy of 0.05%, measuring rate of 10 ms
- **High-quality HMI Panel** – 4-inch TFT widescreen display with 256 colors, screen resolution 480 × 272 px, touch-screen, 4 function keys
- **Intuitive user interface** – suitable for applications in the area of level measurement and platform scales
- **Flexible connection** – Connection to all automation systems that support Modbus RTU protocol
- **High-quality material** – With IP65 degree of protection, the high-quality stainless steel housing fulfills the typical industrial requirements

Standard Parameter	SIWAREX WT231
<b>Weighing module</b>	SIWAREX WP231
• Resolution	up to +/- 4 million parts
• Measuring rate/cycle	10 ms/100 Hz
• Load cell connection	6-wire connection Supply 5 V DC
• Interfaces	RS485 Modbus RTU 4 digital inputs (floating) 4 digital outputs (floating) 1 analog output (0/4...20 mA)
<b>Display</b>	Siemens Touch Panel; 4 inch TFT
<b>Material of housing</b>	Stainless steel 1.4301
<b>Connections</b>	3 M16 EMC safe cable gland for load cells 1 M20 EMC safe cable gland for load cells 4 16 mm drill holes with dummy plugs 1 power supply connection 1 ground connection Mounting brackets for wall mounting
<b>Power supply</b>	100...240 VAC ± 12%
<b>Temperature range</b>	Vertically mounted: 0...40°C
<b>Degree of protection</b>	IP65
<b>Dimensions (WxHxD)</b>	263.5 mm × 185 mm × 95 mm
<b>Weight</b>	4 kg
<b>Article number</b>	7MH4965-2AA01

More Information:  
[www.siemens.com/weighing](http://www.siemens.com/weighing)

Visit us online and  
discover the Siemens  
weighing technology  
solutions for industry.



Subject to change without prior notice  
Article No.: PDPA-B10003-00-7600  
Dispo 06319  
Printed in Germany  
© 04/2015, Siemens AG

The information provided in this brochure contains merely descriptions or performance characteristics which in case of actual use do not always apply as described or which may change as a result of further development of the products. An obligation to provide the desired performance features shall only exist if expressly agreed in the terms of contract. All product designations may be trademarks or product names of Siemens AG or supplier companies whose use by third parties for their own purposes could violate the rights of the owners.

Follow us on:

[twitter.com/siemensensors](https://twitter.com/siemensensors)  
[youtube.com/thinksiemens](https://youtube.com/thinksiemens)  
[facebook.com/siemensensors](https://facebook.com/siemensensors)

Siemens AG  
Process Industries and Drives  
Östliche Rheinbrückenstr. 50  
76187 Karlsruhe  
Germany